

## INDEX TO VOLUME 26

- Absorbance spectra, the, of axolotl and tiger salamander rhodopsin and porphyropsin (studies on the effects of bleaching amphibian rod pigments in situ. I.), 329
- Adenyl cyclase in the rabbit ciliary body, cytochemical localization, 99
- Adsorption and filtration. Two methods for the rapid purification of the retinal pigment epithelium, 13
- Adult lens cells from normal and hereditary cataractous mice, studies on primary cultures of, 671
- Age, and optical elements, of the human eye, a correlation matrix, 573
- , effect of, upon parameters of intraocular pressure in normal human eyes. (Studies of aqueous humour dynamics in man VI.), 651
- Age-related changes in the polypeptide composition of  $\beta$ -crystallin from bovine lens, 537
- Ageing, freeze fracture morphology and composition of bovine lens fibre membranes in relation to (lens membranes III), 147
- AGUIRRE, G., Retinal degeneration in the dog. I. Rod dysplasia, 233
- , — (see SLAKOTOS, A. N.), 13
- ALCALÁ, J. and MAISEL, H., Specific antiserum to the main intrinsic polypeptide of chick lens fiber cell plasma membranes, 219
- $\alpha$ -Crystallin, bovine lens, evidence for a post-translational origin of subunit  $\alpha B_1$  in the, 191
- , calf lens low molecular weight, effects of modification of the sulfhydryl groups, 419
- Amino acid sequence of  $\gamma$ -crystallin fraction II, a comparison of the cysteine-containing tryptic peptides with the corresponding. (Structural studies on calf lens  $\gamma$ -crystallin fraction IV.), 291
- Amino acids, endogenous, from the isolated rat retina, the effect of light and potassium depolarization on the release of, 71
- Amphibian rod pigments in situ. I, studies on the effects of bleaching. The absorbance spectra of axolotl and tiger salamander rhodopsin and porphyropsin, 329
- — —, studies on the effects of bleaching in situ. II. The kinetics of the slow bleaching reactions in axolotl red rods, 337
- ANDERSON, E. I. and SPECTOR, A., The state of sulfhydryl groups in normal and cataractous human lens proteins. I. Nuclear region, 407
- Androgens, progestogens and oestrogens, some effects of, on the ocular tension of rabbits and owl monkeys, 599
- Anthranilic acid, and bityrosine, apparent complexity and isolation of. (Non-tryptophan fluorescence associated with human lens protein), 461
- Antiserum, specific, to the main intrinsic polypeptide of chick lens fiber cell plasma membranes, 219
- ANTONI, F. (see TAKÁTS, A.), 389
- Aphakic eyes, intraocular sites of solute utilization and transport as revealed by studies on. (Intraocular fluid dynamics. IV.), 47
- owl monkey eye, macromolecular composition of the vitreous in the, 77
- Aqueous humour dynamics in man VI., studies of. Effect of age upon parameters of intraocular pressure in normal human eyes, 651
- humor formation, ocular blood flow and effects of  $\Delta^9$ -tetrahydrocannabinol on, 65
- — —, the inhibitory action of dopamine, hydroxyamphetamine and phenylephrine on, 85
- Athymic mice, nude, spontaneous cataract in: ultrastructural analysis, 207
- AUERBACH, E. (see KAITZ, M.), 699
- Axolotl and Tiger Salamander rhodopsin and porphyropsin, absorbance spectra of. (Studies on the effects of bleaching amphibian rod pigments in situ. I.), 329
- red rods, the kinetics of the slow bleaching reactions in. (Studies on the effects of bleaching amphibian rod pigments in situ. II.), 337
- BARAM, H. (see JEDZINIAK, J. A.), 377
- BATTELLE, B.-A. and LaVAIL, M. M., Rhodopsin content and rod outer segment length in albino rat eyes: modification by dark adaptation, 487

- BAUER, B. and EHINGER, B., Retinal uptake and release of [ $^3\text{H}$ ]DABA, 275
- BENTLEY, P. J. (see YORIO, T.), 165
- Benzopyrone therapy in an experimental model, the enhancement of hyphoma resolution following, 725
- $\beta$ -Crystallin from bovine lens, age-related changes in the polypeptide composition of, 537
- BIJVELT, J. (see BROEKHUYSE, R. M.), 147
- BINDER, P. S. (see NASH, J. P.), 641
- Biochemical alterations of the lens capsule in mice with hereditary cataract, 499
- Bioelectric, and kinetic, measurements of galactose cataracts in rats. (Studies on the crystalline lens. XXVII.), 521
- BITO, L. Z., SALVADOR, E. V. and PETRINOVIC, L., Intraocular fluid dynamics. IV. Intraocular sites of solute utilization and transport as revealed by studies on aphakic eyes, 47
- Bityrosine and anthranilic acid, apparent complexity and isolation of. (Non-tryptophan fluorescence associated with human lens protein), 461
- Bleaching amphibian rod pigments in situ. I., studies on the effects of. The absorbance spectra of axolotl and tiger salamander rhodopsin and porphyropsin, 329
- II., studies on the effects of. The kinetics of the slow bleaching reactions in axolotl red rods, 337
- Blood flow, ocular, and aqueous humor formation, effects of  $\Delta^9$ -tetrahydrocannabinol on, 65
- , retinal, studies on the role of prostaglandins in the regulation of, 687
- BÖGEMANN, B. (see BROEKHUYSE, R. M.), 567
- BORKMAN, R. F. and LERMAN, S., Fluorescence spectra of tryptophan residues in human and bovine lens proteins, 705
- BOUCHET, H. (see DELCOUR, J.), 191
- Bovine, and human, lens protein, fluorescence spectra of tryptophan residues in, 705
- eye lens, cortical fibers of, and epithelial cells, some properties of the cyclic AMP dependent protein kinase of, 389
- eyes, distribution and some properties of Cathepsin B in the, 57
- lens, age-related changes in the polypeptide composition of  $\beta$ -crystallin from, 537
- $\alpha$ -crystallin, evidence for a post-translational origin of subunit  $\alpha\text{B}_1$  in the, 191
- fibre membranes in relation to ageing, freeze fracture morphology and composition of (lens membranes III.), 147
- rhodopsin, characteristics of galactosyl and fucosyl transfer to, 197
- BRADLEY, R. H. (see HAZLETT, L. D.), 207
- BROEKHUYSE, R. M. and BÖGEMANN, B., Lipids in tissues of the eye. XVI. Uptake of lipids by the rabbit lens in vitro, 567
- , —, KUHLMANN, E. D. BIJVELT, J. VERKLEIJ, A. J. and VERVERGAERT, P. H. J. Th., Lens Membranes III. Freeze fracture morphology and composition of bovine lens fibre membranes in relation to ageing, 147
- , — and KUHLMANN, E. D., Lens membranes IV. Preparative isolation and characterization of membranes and various membrane proteins from calf lens, 305
- BUNCE, G. E., HESS, J. L. and FILLNOW, G. M., Investigation of low tryptophan induced cataract in weanling rats, 399
- BURNS, A. T. H. (see THOMSON, I.), 351
- BUSHELL, A. R. and DUNCAN, G. The distribution of soluble, insoluble and high molecular weight fractions of senile normal and cataractous human lenses as a function of internal calcium, 223
- Calcium, internal, the distribution of soluble, insoluble and high molecular weight of senile normal and cataractous human lenses as a function of, 223
- Calf lens  $\gamma$ -crystallin fraction IV, structural studies on: A comparison of the cysteine-containing tryptic peptides with the corresponding amino acid sequence of  $\gamma$ -crystallin fraction II, 291
- low molecular weight  $\alpha$ -crystallin, effects of modification of the sulfhydryl groups, 419
- , preparative isolation and characterization of membranes and various membrane proteins from (Lens membranes IV.), 305
- Carp retina, effects of variations in the perfusate on the ERG and discharge of ganglion cells in, 363
- CASAGRANDE, V. A. (see MCKANNA, J. A.), 715
- Cat and rat retinas, isolated, taurine fluxes in: effects of illumination, 529



- Catabolism of sialocompounds by endogenous neuraminidase in the chick retina, developmental studies of, 621
- Cataract, hereditary, in mice, biochemical alterations of the lens capsule, 499
- , low tryptophan induced, in weanling rats, investigation of, 399
- mice, hereditary, myo-inositol content of the lens in, 119
- , spontaneous, in nude athymic mice; ultrastructural analysis, 207
- , X-ray-induced, high molecular weight protein aggregates in, 507
- Cataractogenic factor, possible, in the nakano mouse lens, 477
- Cataractous, and normal, human lens proteins, the state of sulfhydryl groups in, I. Nuclear region, 407
- — — — — lenses, senile, as a function of internal calcium, the distribution of soluble, insoluble and high molecular weight fractions of, 223
- mice, normal and hereditary, studies on primary cultures of adult lens cells from, 671
- rat lenses, and normal,  $\gamma$ -crystallin of (Characterization of lens proteins. II), 255
- Cataracts, galactose, in rats, kinetic and biochemical measurements of. (Studies on the crystalline lens. XXVII.), 521
- — — — —, ultrastructural changes during the development and reversal of, 123
- , senile, and human lenses, levels in, and rabbit lens, lysophosphatidyl ethanolamine effects on, 729
- Cathepsin B in the bovine eyes, distribution and some properties of, 57
- Cell type in human fetal eye tissues in vitro, a demonstration of a switch of: pigmented cells of the iris or the retina can transdifferentiate into lens, 591
- Cells, adult lens, from normal and hereditary cataractous mice, studies on primary cultures of, 671
- , epithelial, and cortical fibers of bovine eye lens, some properties of the cyclic AMP dependent protein kinase of, 389
- , ganglion, in carp retina, effects of variations in the perfusate on the ERG and discharge of, 363
- , pigmented, of the iris or the retina can transdifferentiate into lens. (A demonstration of a switch of cell type in human fetal eye tissues in vitro), 591
- Cellular abnormalities of fast-growing chickens: similarities between retina and lens, 667
- CEVARIO, S. J. (see MACRI, F. J.), 85
- CHAKRAPANI, B. (see GIBLIN, F. J.), 507
- CHANCE, B. and LIEBERMAN, M., Intrinsic fluorescence emission from the cornea at low temperatures: evidence of mitochondrial signals and their differing redox states in epithelial and endothelial sides, 111
- CHAPUIS, PH. (see POURNARAS, C.), 687
- Chemical removal of indoleamine accumulating terminals in rabbit and goldfish retina, 321
- CHEN, C-C. and HELLER, J., Transport and utilization of retinoic acid by the retina: intravascular injection of retinoic acid as a complex with retinol binding protein, 561
- Chick lens, embryonic, phospholipid composition and metabolism in the, 267
- — — — — fiber cell plasma membranes, specific antiserum to the main intrinsic polypeptide, 219
- — — — — soluble proteins, characterization of, and the control of their synthesis, 351
- retina, developmental studies of the catabolism of sialocompounds by endogenous neuraminidase in the, 621
- Chickens, fast-growing, cellular abnormalities of: similarities between retina and lens, 667
- Choroid coat, developing, observations on the ultrastructure of the, 25
- CHYLACK, JR., L. T. (see JEDZINIAK, J. A.), 377
- Ciliary body, rabbit, cytochemical localization of adenyl cyclase in the, 99
- CLAYTON, R. M. (see PRITCHARD, D. J.), 667
- , — (see THOMSON, I.), 351
- COLLIE, C. J. (see COULTER, J. B. III), 547
- Concentration variation, the molecular distribution and weight determination, of the total water soluble proteins of the human lens, 377
- Contractility and norepinephrine uptake of rabbit iris muscle, effect of 6-hydroxydopamine in vitro on, 135
- Copper, toxic effects of, on cultured rat lenses, 547
- Cornea, hexose-monophosphate shunt response to diamide in the component layers of the, 611
- , intrinsic fluorescence emission from the, at low temperatures: evidence of mitochondrial signals and their differing redox states in epithelial and endothelial sides, 111

- Cornea, rabbit, undergoing prolonged refrigerated storage, the deleterious effects of exogenous bicarbonate on, 555
- Corneal damage following focal laser intervention, 641
- epithelium, isolated rabbit and human, intracellular potentials of, 629
- hydration during specular microscopy, some effects of hydrostatic pressure on, 141
- Correlation matrix of optical elements and age of the human eye, 573
- Cortical fibers of bovine eye lens, and epithelial cells, some properties of the cyclic AMP dependent protein kinase of, 389
- COTLIER, E. (see STERNBERG, P.), 729
- COULTER, J. B. III., OLIVER, S. S., WHITENER, C. M., COLLIE, C. J. and ENGELKE, J. A., Toxic effects of copper on cultured rat lenses, 547
- CROFT, L. R. (see SLINGSBY, C.), 291
- Crystalline lens of various species, cytoplasmic filaments in the: functional correlations, 177
- — —, phospholipase C-induced "Na-channels" in the, 165
- — — XXV. Studies on the. An analysis of the dependence of the components of the potential on sodium-potassium fluxes based on the pump-leak model, 157
- — — XXVII. Studies on the. Kinetic and bioelectric measurements of galactose cataracts in rats, 521
- Cyclic AMP dependent protein kinase of epithelial cells and cortical fibers of bovine eye lens, some properties of the, 389
- Cysteine-containing tryptic peptides, a comparison of the, with the corresponding amino acid sequence of  $\gamma$ -crystallin fraction II (Structural studies on calf lens  $\gamma$ -crystallin fraction IV), 291
- Cytochemical localization of adenyl cyclase in the rabbit ciliary body, 99
- Cytoplasmic filaments in the crystalline lens of various species: functional correlations, 177
- [<sup>3</sup>H]DABA, retinal uptake and release of, 275
- Dark adaptation, modification by. (Rhodopsin content and rod outer segment length in albino rat eyes), 487
- Degeneration, inherited retinal, in rats, effect of early and late light exposure on the, 699
- Degenerations, retinal, in the dog. I. Rod dysplasia, 233
- DELCOUR, J. and BOUCHET, H., Evidence for a post-translational origin of subunit  $\alpha B_1$  in the bovine lens  $\alpha$ -crystallin, 191
- Deleterious effects of exogenous bicarbonate on the rabbit cornea undergoing prolonged refrigerated storage, 555
- Depolarization, potassium, the effect of light and, on the release of endogenous amino acids from the isolated rat retina, 71
- Developing choroid coat, observations on the ultrastructure of the, 25
- Diamide, hexose-monophosphate shunt response to, in the component layers of the cornea, 611
- Differentiation of cells of the lens epithelium of human fetus, in vitro, 91
- DILLON, J. (see GARCIA-CASTINEIRAS, S.), 461
- Distribution and some properties of cathepsin B in the bovine eyes, 57
- Dog, retinal degenerations in the. I. Rod dysplasia, 233
- Dopamine and indoleamines in the rabbit retina, quantification in the uptake of, 1
- , hydroxyamphetamine and phenylephrine, the inhibitory action of, on aqueous humor formation, 85
- DREYFUS, H. (see PRETI, A.), 621
- DUNCAN, G. (see BUSHELL, A. R.), 223
- Dynamics, aqueous humour, in man VI., studies of. Effect of age upon parameters of intraocular pressure in normal human eyes, 651
- EDELHAUSER, H. F. (see GEROSKI, D. H.), 611
- EGUCHI, G. (see YASUDA, K.), 591
- EHINGER, B. and FLORÉN, I., Chemical removal of indoleamine accumulating terminals in rabbit and goldfish retina, 321
- , —, —, —, Quantitation in the uptake of indoleamines and dopamine in the rabbit retina, 1
- , — (see BAUER, B.), 275



- Electrogenesis, photoreceptor, a role for metabolism in, 107
- Embryonic chick lens, phospholipid composition and metabolism in the, 267
- Endogenous neuraminidase in the chick retina, developmental studies of the catabolism of sialocompounds by, 621
- Endothelial, and epithelial, sides, evidence of mitochondrial signals and their differing redox states in, 111
- ENGELKE, J. A. (see COULTER, J. B. III), 547
- Epithelial and endothelial sides, evidence of mitochondrial signals and their differing redox states in. (Intrinsic fluorescence emission from the cornea at low temperatures), 111
- cells and cortical fibers of bovine eye lens, some properties of the cyclic AMP dependent protein kinase of, 389
- Epithelium, homo- and heterogenic pigment, influence and phagocytic activity of; (development of photoreceptor cells in vitro), 581
- , isolated rabbit and human corneal, intracellular potentials of, 629
- , lens, of human fetus, in vitro differentiation of cells of the, 91
- , retinal pigment, two methods for the rapid purification of the: adsorption and filtration, 13
- ERG and discharge, effects of variations in the perfusate on the, of ganglion cells in carp retina, 363
- ERNST, W., KEMP, C. M. and PRICE, D. E., Studies on the effects of bleaching amphibian rod pigments in situ. I. The absorbance spectra of axolotl and tiger salamander rhodopsin and porphyropsin, 329
- ERNST, W., KEMP, C. M. and WHITE, H. A., Studies on the effects of bleaching amphibian rod pigments in situ. II. The kinetics of the slow bleaching reactions in axolotl red rods, 337
- Ethanolamine, lysophosphatidyl, effects on rabbit lens and levels in human lenses and senile cataracts, 729
- Exogenous bicarbonate, the deleterious effects of, on the rabbit cornea undergoing prolonged refrigerated storage, 555
- Eye, aphakic owl monkey, macromolecular composition of the vitreous in the, 77
- , human, a correlation matrix of optical elements and age of, 573
- , lipids in tissues of the. XVI. Uptake of lipids by the rabbit lens in vitro, 567
- tissues, human fetal, in vitro, a demonstration of a switch of cell type in: pigmented cells of the iris or the retina can transdifferentiate into lens, 591
- Eyes, albino rat, rhodopsin content and rod outer segment length: modification by dark adaptation, 487
- , aphakic, intraocular sites of solute utilization and transport as revealed by studies on. (Intraocular fluid dynamics. IV.), 47
- , bovine, distribution and some properties of cathepsin B in the, 57
- , normal human, effect of age upon parameters of intraocular pressure in. (Studies of aqueous humour dynamics in man VI.), 651
- FARAGÓ, A. (see TAKÁTS, A.), 389
- Fetal eye tissues, human, in vitro, a demonstration of a switch of cell type in: pigmented cells of the iris or the retina can transdifferentiate into lens, 591
- Fetus, human, in vitro differentiation of cells of the lens epithelium of, 91
- Fiber cell plasma membranes, chick lens, specific antiserum to the main intrinsic polypeptide of, 219
- Fibers, cortical, of bovine eye lens, and epithelial cells, some properties of the cyclic AMP dependent protein kinase of, 389
- FILLNOW, G. M. (see BUNCE, G. E.), 399
- Filtration and adsorption. Two methods for the rapid purification of the retinal pigment epithelium, 13
- FIORILLI, A. (see PRETI, A.), 621
- FLORÉN, I. (see EHINGER, B.), 1, 321
- Fluorescence emission from the cornea at low temperatures, intrinsic: evidence of mitochondrial signals and their differing redox states in epithelial and endothelial sides, 111
- , non-tryptophan, associated with human lens protein; apparent complexity and isolation of bityrosine and anthranilic acid, 461
- spectra of tryptophan residues in human and bovine lens proteins, 705

- Fluxes, sodium-potassium, an analysis of the dependence of the components of the potential on, based on the pump-leak model (Studies on the crystalline lens. XXV.), 157
- Focal laser intervention, corneal damage following, 641
- Freeze fracture morphology and composition of bovine lens fibre membranes in relation to ageing. (Lens membranes III), 147
- FU, S.-C. J. (see WAGNER, B. J.), 255
- Fucosyl, galactosyl and, transfer to bovine rhodopsin characteristics of, 197
- FUKUI, H. N., MEROLA, L. O. and KINOSHITA, J. H., A possible cataractogenic factor in the nakano mouse lens, 477
- , — and YAMASHINA, I., Biochemical alterations of the lens capsule in mice with hereditary cataract, 499
- FUKUI, H. N. (see TSUNEMATSU, Y.), 671
- GAASTERLAND, D., KUPFER, C., MILTON, R., ROSS, K., MCCAIN, L. and MACLELLAN, H., Studies of aqueous humour dynamics in man VI. Effect of age upon parameters of intraocular pressure in normal human eyes, 651
- Galactose cataracts in rats, kinetic and bioelectric measurements of. (Studies on the crystalline lens. XXVII.), 521
- , —, ultrastructural changes during the development and reversal of, 123
- Galactosyl and fucosyl transfer to bovine rhodopsin, characteristics of, 197
- $\gamma$ -Crystallin fraction II, a comparison of the cysteine-containing tryptic peptides with the corresponding amino acid sequence of. (Structural studies on calf lens  $\gamma$ -crystallin fraction IV), 291
- — — — — IV, structural studies on calf lens: A comparison of the cysteine containing tryptic peptides with the corresponding amino acid sequence of  $\gamma$ -crystallin fraction II, 291
- of normal and cataractous rat lenses (Characterizations of lens proteins. II.), 255
- Ganglion cells in carp retina, effects of variations in the perfusate on the ERG and discharge of, 363
- GARCIA-CASTINEIRAS, S., DILLON, J., and SPECTOR, A., Non-tryptophan fluorescence associated with human lens protein; apparent complexity and isolation of bityrosine and anthranilic acid, 461
- GENYEA, C. (see UNAKAR, N. J.), 123
- GEROSKI, D. H., EDELHAUSER, H. F. and O'BRIEN, W. J., Hexose-monophosphate shunt response to diamide in the component layers of the cornea, 611
- GIBLIN, F. J., CHAKRAPANI, B. and REDDY, V. N., High molecular weight protein aggregates in X-ray-induced cataract, 507
- GILBERT, P. W. (see ZIGMAN, S.), 227
- Goldfish and rabbit retina, chemical removal of indoleamine accumulating terminals in, 321
- GOOSSENS, W. (see RAFFERTY, N. S.), 177
- GRAHAM, M. V. (see MAYES, K. R.), 555
- GREEN, K., WYNN, H. and PADGETT, D., Effects of  $\Delta^9$ -tetrahydrocannabinol on ocular blood flow and aqueous humor formation, 65
- HAMADA, Y. and OKADA, T. S., In vitro differentiation of cells of the lens epithelium of human fetus, 91
- HARA, S. (see HAYASAKA, S.), 57
- HARTH, S. (see PRETI, A.), 621
- HAYASAKA, S., HARA, S., TAKAKU, Y. and MIZUNO, K., Distribution and some properties of cathepsin B in the bovine eyes, 57
- HAYASHI, M. (see YASUDA, K.), 591
- HAZLETT, L. D. and BRADLEY, R. H., Spontaneous cataract in nude athymic mice: ultrastructural analysis, 207
- HELLER, J. (see CHEN, C.-C.), 561
- HESS, J. L. (see BUNCE, G. E.), 399
- Hetero- and homogenic pigment epithelium, influence and phagocytic activity of; (development of photoreceptor cells in vitro), 581
- Hexose-monophosphate shunt response to diamide in the component layers of the cornea, 611
- High molecular weight protein aggregates in X-ray-induced cataract, 507
- — — — —, soluble, and insoluble fractions of senile normal and cataractous human lenses as a function of internal calcium, the distribution of, 223



- HIGHTOWER, K. R. (see KINSEY, V. E.), 157, 521
- HODSON, S. (see MAYES, K. R.), 141, 555
- Homo- and heterogenic pigment epithelium, influence and phagocytic activity of; (development of photoreceptor cells in vitro), 581
- Human and bovine lens proteins, fluorescence spectra of tryptophan residues in, 705
- , — rabbit, corneal epithelium, isolated, intracellular potentials of, 629
- eye, a correlation matrix of optical elements and age of, 573
- eyes, normal, effect of age upon parameters of intraocular pressure in. (Studies of aqueous humour dynamics in man VI.), 651
- fetal eye tissues in vitro, a demonstration of a switch of cell type in: pigmented cells of the iris or the retina can transdifferentiate into lens, 591
- fetus, in vitro differentiation of cells of the lens epithelium of, 91
- lens protein, non-tryptophan fluorescence associated with; apparent complexity and isolation of tyrosine and anthranilic acid, 461
- — proteins, normal and cataractous, the state of sulfhydryl groups in. I. Nuclear region, 407
- —, the molecular distribution, weight determination and concentration variation of the total water soluble proteins of the, 377
- lenses and senile cataracts, levels in, and rabbit lens, lysophosphatidyl ethanolamine effects on, 729
- —, senile normal and cataractous, as a function of internal calcium, the distribution of soluble, insoluble and high molecular weight fractions of, 223
- insoluble lens protein. I. Separation and partial characterization of polypeptides, 429
- — — — —. II. Isolation and characterization of a 9600 dalton polypeptide, 445
- Hydrostatic pressure, some effects of on corneal hydration during specular microscopy, 141
- Hydroxyamplutamine, dopamine and phenylephrine, the inhibitory action of, on aqueous humor formation, 85
- 6-Hydroxydopamine, effect of, in vitro on contractility and norepinephrine uptake of rabbit iris muscle, 135
- Hyphema resolution, the enhancement of, following benzopyrone therapy in an experimental model, 725
- Illumination, effects of; taurine fluxes in isolated cat and rat retinas, 529
- Indoleamine accumulating terminals in rabbit and goldfish retina, chemical removal of, 321
- Indoleamines and dopamine in the rabbit retina, quantitation in the uptake of, 1
- Inhibitory action of dopamine, hydroxyamphetamine and phenylephrine on aqueous humor formation, 85
- Insoluble lens protein, human. I. Separation and partial characterization of polypeptides, 429
- — — — —. II. Isolation and characterization of a 9600 dalton polypeptide, 445
- , soluble and high molecular weight fractions of senile normal and cataractous human lenses as a function of internal calcium, the distribution of, 223
- Intracellular potentials of isolated rabbit and human corneal epithelium, 629
- Intraocular fluid dynamics. IV. Intraocular sites of solute utilization and transport as revealed by studies on aphakic eyes, 47
- pressure in normal human eyes, effect of age upon parameters of. (Studies of aqueous humour dynamics in man VI.), 651
- sites of solute utilization and transport as revealed by studies on aphakic eyes. (Intraocular fluid dynamics. IV.), 47
- Intrinsic fluorescence emission from the cornea at low temperatures: evidence of mitochondrial signals and their differing redox states in epithelial and endothelial sides, 111
- polypeptide, main, of chick lens fiber cell plasma membranes, specific antiserum to the, 219
- Iris muscle, rabbit, effect of 6-hydroxydopamine in vitro on contractility and norepinephrine uptake of, 135
- , or the retina, pigmented cells of the, can transdifferentiate into lens. (A demonstration of a switch of cell type in human fetal eye tissues in vitro), 591
- Isolation, and apparent complexity, of tyrosine and anthranilic acid. (Non-tryptophan fluorescence associated with human lens protein), 461
- Isolation and characterization of a 9600 dalton polypeptide. II. (Human insoluble lens protein), 445





- Lens, fibre membranes, bovine, in relation to ageing, freeze fracture morphology and composition of. (Lens membranes III), 147
- , human, the molecular distribution, weight determination and concentration variation of the total water soluble proteins of the, 377
- membranes III. Freeze fracture morphology and composition of bovine lens fibre membranes in relation to ageing, 147
- — IV. Preparative isolation and characterization of membranes and various membrane proteins from calf lens, 305
- , myo-inositol content of the in hereditary cataract mice, 119
- , nakano mouse, a possible cataractogenic factor in, 477
- protein, human insoluble. I. Separation and partial characterization of polypeptides, 429
- —, — —. II. Isolation and characterization of a 9600 dalton polypeptide, 445
- —, — —, non-tryptophan fluorescence associated with; apparent complexity and isolation of bityrosine and anthranilic acid, 461
- proteins, characterization of. II.  $\gamma$ -crystallin of normal and cataractous rat lenses, 255
- —, human and bovine, fluorescence spectra of tryptophan residues in, 705
- —, normal and cataractous human, the state of sulfhydryl groups in. I. Nuclear region, 407
- , rabbit, and levels in human lenses and senile cataracts, lysophosphatidyl ethanolamine effects on, 729
- , —, in vitro, uptake of lipids by. (Lipids in tissues of the eye. XVI.), 567
- , rat, transport systems, phospholipid effects on the, 657
- Lenses, cultured rat, toxic effects of copper on, 547
- , human, and senile cataracts, levels in, and rabbit lens, lysophosphatidyl ethanolamine effects on, 729
- , —, senile normal and cataractous, as a function of internal calcium, the distribution of soluble, insoluble and high molecular weight fractions of, 223
- , rat  $\gamma$ -crystallin of normal and cataractous. (Characterization of lens proteins. II.), 255
- LERMAN, S. (see BORKMAN, R. F.), 705
- LI, L.-K. and SPECTOR, A., Effects of modification of the sulfhydryl groups of calf lens low molecular weight alpha-crystallin, 419
- Lidsuture myopia, reduced lens development in, 715
- LIEBERMAN, M. (see CHANCE, B.), 111
- Light and potassium depolarization, the effect of on the release of endogenous amino acids from the isolated rat retina, 71
- exposure, effect of early and late, on the inherited retinal degeneration in rats, 699
- Lipids in tissues of the eye. XVI. Uptake of lipids by the rabbit lens in vitro, 567
- Low molecular weight alpha-crystallin, calf lens, effects of modification of the sulfhydryl groups of, 419
- temperatures, intrinsic fluorescence emission from the cornea at.; evidence of mitochondrial signals and their differing redox states in epithelial and endothelial sides, 111
- tryptophan induced cataract in weanling rats, investigation of, 399
- Lysophosphatidyl ethanolamine effects on rabbit lens and levels in human lenses and senile cataracts, 729
- MACLELLAN, H. (see GAASTERLAND, D.), 651
- MACRI, F. J. and CEVARIO, S. J., The inhibitory action of dopamine, hydroxyamphetamine and phenylephrine on aqueous humor formation, 85
- Macromolecular composition of the vitreous in the aphakic owl monkey eye, 77
- MAEZAWA, N. (see TSUKAHARA, S.), 99
- MAISEL, H. (see ALCALÁ, J.), 219
- Man VI., studies of aqueous humour dynamics in. Effect of age upon parameters of intraocular pressure in normal human eyes, 651
- MANDEL, P. (see PRETI, A.), 621
- MATHENY, J. L., Effect of 6-hydroxydopamine in vitro on contractility and norepinephrine uptake of rabbit iris muscle, 135
- MATSUZAWA, A., (see WADA, E.), 119
- MAYES, K. R., GRAHAM, M. V. and HODSON, S., The deleterious effects of exogenous bicarbonate on the rabbit cornea undergoing prolonged refrigerated storage, 555

- MAYES, K. R. and HODSON, S., Some effects of hydrostatic pressure on corneal hydration during specular microscopy, 141
- MCCAIN, L. (see GAASTERLAND, D.), 651
- McKANNA, J. A. and CASAGRANDE, V. A., Reduced lens development in lidsuture myopia, 715
- Membrane proteins, various, and membranes from calf lens, preparative isolation and characterization of. (Lens membranes IV.), 305
- MEROLA, L. O. (see FUKUI, H. N.), 477
- Metabolism, and phospholipid composition, in the embryonic chick lens, 267
- in photoreceptor electrogenesis, a role for, 107
- Mice, athymic nude, spontaneous cataract in: ultrastructural analysis, 207
- , hereditary cataract, myo-inositol content of the lens in, 119
- , normal and hereditary cataractous, studies on primary cultures of adult lens cells from, 671
- with hereditary cataract, biochemical alterations of the lens capsule in, 499
- Microscopy, specular, some effects of hydrostatic pressure on corneal hydration during, 141
- MILTON, R. (see GAASTERLAND, D.), 651
- Mitochondrial signals and their differing redox states in epithelial and endothelial sides, evidence of. (Intrinsic fluorescence emission from the cornea at low temperatures), 111
- MIZUNO, K. (see HAYASAKA, S.), 57
- , — (see TAMAI, M.), 581
- Model, experimental, the enhancement of hyphema resolution following benzopyrone therapy in, 725
- Molecular distribution, weight determination and concentration variation of the total water soluble proteins of the human lens, 377
- Morphology, freeze fracture, and composition of bovine lens fibre membranes in relation to ageing. (Lens membranes III.), 147
- Mouse, nakano, lens, a possible cataractogenic factor in, 477
- Muscle, rabbit iris, effect of 6-hydroxydopamine in vitro on contractility and norepinephrine uptake of, 135
- myo-Inositol content of the lens in hereditary cataract mice, 119
- Myopia, lidsuture, reduced lens development in, 715
- “Na-channels” in the crystalline lens, phospholipase C-induced, 165
- NASH, J. P., WICKHAM, M. G. and BINDER, P. S., Corneal damage following focal laser intervention, 641
- NEAL, M. J. (see KENNEDY, A. J.), 71
- NEGISHI, K. (see KATO, S.), 363
- Neuraminidase, endogenous, in the chick retina, developmental studies of the catabolism of sialocompounds by, 621
- NOJI, T. (see TAMAI, M.), 581
- Non-tryptophan fluorescence associated with human lens protein; apparent complexity and isolation of bityrosine and anthranilic acid, 461
- Norepinephrine uptake, contractility, of rabbit iris muscle, and effect of 6-hydroxydopamine in vitro on, 135
- Nude athymic mice, spontaneous cataract in: ultrastructural analysis, 207
- OBARA, Y. (see STERNBERG, P.), 729
- O'BRIEN, P. J., Characteristics of galactosyl and fucosyl transfer to bovine rhodopsin, 197
- O'BRIEN, W. J. (see GEROSKI, D. H.), 611
- Ocular blood flow and aqueous humor formation, effects of  $\Delta^9$ -tetrahydrocannabinol on, 65
- tension of rabbits and owl monkeys, some effects of progestogens, oestrogens and androgens on the, 599
- Oestrogens, progestogens and androgens, some effects of, on the ocular tension of rabbits and owl monkeys, 599
- OKADA, T. S. (see HAMADA, Y.), 91
- , — (see YASUDA, K.), 591
- OLIVER, S. S. (see COULTER, J. B. III), 547
- Optical elements and age of the human eye, a correlation matrix, 573



- ÖSTERLIN, S., Macromolecular composition of the vitreous in the aphakic owl monkey eye, 77
- Owl monkey eye, aphakic, macromolecular composition of the vitreous in the, 77
- monkeys, and rabbits, some effects of progestogens, oestrogens and androgens on the ocular tension of, 599
- OZANICS, V., RAYBORN, M. E. and SAGUN, D., Observations on the ultrastructure of the developing choroid coat, 25
- PADGETT, D. (see GREEN, K.), 65
- Peptides, tryptic, a comparison of the cysteine-containing, with the corresponding amino acid sequence of  $\gamma$ -crystallin fraction II. (Structural studies on calf lens  $\gamma$ -crystallin fraction II), 291
- Perfusate, effects of variations in the, on the ERG and discharge of ganglion cells in carp retina, 363
- PETRINOVIC, L. (see BITO, L. Z.), 47
- Phagocytic activity, and influence, of homo- and heterogenic pigment epithelium (Development of photoreceptor cells in vitro), 581
- Phenylephrine, dopamine, hydroxyamphetamine and, the inhibitory action of an aqueous humor formation, 85
- Phospholipase C-induced "Na-channels" in the crystalline lens, 165
- Phospholipid composition and metabolism in the embryonic chick lens, 267
- effects on the rat lens transport systems, 657
- Photoreceptor cells in vitro, development of: influence and phagocytic activity of homo- and heterogenic pigment epithelium, 581
- electrogenesis, a role for metabolism in, 107
- Pigment epithelium, homo- and heterogenic, influence and phagocytic activity of (development of photoreceptor cells in vitro), 581
- Pigmented cells of the iris or the retina can transdifferentiate into lens. (A demonstration of a switch of cell type in human fetal eye tissues in vitro), 591
- PILLER, N. B., The enhancement of hyphema resolution following benzopyrone therapy in an experimental model, 725
- Plasma membranes, chick lens fiber cell, specific antiserum to the main intrinsic polypeptide of, 219
- Polypeptide composition of  $\beta$ -crystallin from bovine lens, age-related changes in, 537
- , 9600 dalton, insolation and characterization of. II. (Human insoluble lens protein), 455
- , main intrinsic specific antiserum, of chick lens fiber cell plasma membranes, 219
- Polypeptides, separation and partial characterization of. I. (Human insoluble lens protein), 429
- Porphyrופן, and rhodopsin, axolotl and tiger salamander, absorbance spectra of. (Studies on the effects of bleaching amphibian rod pigments in situ. I.), 329
- Post-translational origin of subunit  $\alpha B_1$  in the bovine lens  $\alpha$ -crystallin, evidence for, 191
- Potassium depolarization, light and, the effect of on the release of endogenous amino acids from the isolated rat retina, 71
- Potential, an analysis of the dependence of the components of the, on sodium-potassium fluxes based on the pump-leak model. (Studies on the crystalline lens. XXV.), 157
- Potentials, intracellular, of isolated rabbit and human corneal epithelium, 629
- POURNARAS, C., TSACOPoulos, M. and CHAPUIS, PH., Studies on the role of prostaglandins in the regulation of retinal blood flow, 687
- Pressure, intraocular, in normal human eyes, effect of age upon parameters of. (Studies of aqueous humour dynamics in man VI.), 651
- PRETI, A., FIORILLI, A., DREYFUS, H., HARTH, S., URBAN, P. F. and MANDEL, P., Developmental studies of the catabolism of sialocompounds by endogenous neuraminidase in the chick retina, 621
- PRICE, D. E. (see ERNST, W.), 329
- Primary cultures of adult lens cells from normal and hereditary cataractous mice, studies on, 671
- PRITCHARD, D. J. and CLAYTON, R. M., Cellular abnormalities of fast-growing chickens: similarities between retina and lens, 667
- Progestogens, oestrogens and androgens, some effects of, on the ocular tension of rabbit and owl monkeys, 599
- Prostaglandins in the regulation of retinal blood flow, studies on the role of, 687

- Protein aggregates, high molecular weight, in X-ray-induced cataract, 507
- , kinase, cyclic AMP dependent, of epithelial cells and cortical fibers of bovine eye lens, some properties of, 389
- , lens, human insoluble. I. Separation and partial characterization of polypeptides, 429
- , —, —, —. II. Insolation and characterization of a 9600 dalton polypeptide, 445
- , —, —, non-tryptophan fluorescence associated with; apparent complexity and isolation of bityrosine and anthranilic acid, 461
- , retinal binding, intravascular injection of retinoic acid as a complex with (transport and utilization of retinoic acid by the retina), 561
- Proteins, chick lens soluble, characterization of, and the control of their synthesis, 351
- , human and bovine lens, fluorescence spectra of tryptophan residues in, 705
- , lens, characterization of. II.  $\gamma$ -Crystallin of normal and cataractous rat lenses, 255
- , normal and cataractous human lens, the state of sulfhydryl groups in. I. Nuclear region, 407
- , various, and membranes, from calf lens, preparative isolation and characterization of. (Lens membrane IV.), 291
- , water soluble, total, of the human lens, the molecular distribution, weight determination and concentration variation of, 377
- Pump-leak model, an analysis of the dependence of the components of the potential on sodium-potassium fluxes based on the. (Studies on the crystalline lens, XXV.), 157
- Purification, rapid, of the retinal pigment epithelium, two methods for the: adsorption and filtration, 13
- Quantitation in the uptake of indoleamines and dopamine in the rabbit retina, 1
- Rabbit and goldfish retina, chemical removal of indoleamine accumulating terminals in rabbit and goldfish retina, 321
- , — human corneal epithelium, isolated, intracellular potentials of, 629
- ciliary body, cytochemical localization of adenyl cyclase in the, 99
- cornea undergoing prolonged refrigerated storage, the deleterious effects of exogenous bicarbonate on, 555
- iris muscle, effect of 6-hydroxydopamine in vitro on contractility and norepinephrine uptake of, 135
- lens and levels in human lenses and senile cataracts, lysophosphatidyl ethanolamine effects on, 729
- in vitro, uptake of lipids by. (Lipids in tissues of the eye. XVI.), 567
- retina, quantitation in the uptake of indoleamines and dopamine in the, 1
- Rabbits, and owl monkeys, some effects of progestogens, oestrogens and androgens on the ocular tension of, 599
- RAFFERTY, N. S. and GOOSSENS, W., Cytoplasmic filaments in the crystalline lens of various species: functional correlations, 177
- Rapid purification of the retinal pigment epithelium, two methods for: adsorption and filtration, 13
- Rat, albino, eyes, rhodopsin and outer segment length: modification by dark adaptation, 487
- , and cat, retinas, isolated, taurine fluxes in: effects of illumination, 529
- lens transport systems, phospholipid effects on the, 657
- lenses, cultured, toxic effects of copper on, 547
- , —,  $\gamma$ -crystallin of normal and cataractous. (Characterization of lens proteins. II.), 255
- retina, isolated, the effect of light and potassium depolarization on the release of endogenous amino acids from the, 71
- Rats, effect of early and late light exposure on the inherited retinal degeneration in, 699
- , kinetic and bioelectric measurements of galactose cataracts in. (Studies on the crystalline lens. XXVII.), 521
- , weanling, investigation of low tryptophan induced cataract in, 399
- RAYBORN, M. E. (see OZANICS, V.), 25
- Red rods, axolotl, the kinetics of the slow bleaching reactions in (studies on the effects of bleaching amphibian rod pigments in situ. II.), 337
- REDDAN, J. R. (see UNAKAR, N. J.), 123



- REDDY, V. N. (see GIBLIN, F. J.), 507  
 —, — (see UNAKAR, N. J.), 123
- Redox states, differing, in epithelial and endothelial sides, evidence of mitochondrial signals and their. (Intrinsic fluorescence emission from the cornea at low temperatures), 111
- Refrigerated storage, prolonged, the deleterious effects of exogenous bicarbonate on the rabbit cornea undergoing, 555
- Resolution, hyphema, the enhancement of, following benzopyrone therapy in an experimental model, 725
- Retina and lens, similarities between: cellular abnormalities of fast-growing chickens, 667  
 —, carp, effects of variations in the perfusate on the ERG and discharge of ganglion cells in, 363  
 —, chick, developmental studies of the catabolism of sialocompounds by endogenous neuraminidase in the, 621  
 —, isolated rat, the effect of light and potassium depolarization on the release of endogenous amino acids from the, 71  
 —, or the iris, pigmented cells of the, can transdifferentiate into lens. (A demonstration of a switch of cell type in human fetal eye tissues in vitro), 591  
 —, rabbit and goldfish, chemical removal of indoleamine accumulating terminals in, 321  
 —, —, quantitation in the uptake of indoleamines and dopamine in the, 1  
 —, transport and utilization of retinoic acid by the: intravascular injection of retinoic acid as a complex with retinol binding protein, 561
- Retinal blood flow, studies on the role of prostaglandins in the regulation of, 687  
 — degenerations in the dog. I. Rod dysplasia, 233  
 — degeneration, inherited, in rats, effect of early and late light exposure on the, 699  
 — pigment epithelium, two methods for the rapid purification of the: adsorption and filtration, 13  
 — uptake and release of [ $^3\text{H}$ ]DABA, 275
- Retinas, isolated cat and rat, taurine fluxes in: effects of illumination, 529
- Retinoic acid, transport and utilization of, by the retina: intravascular injection of retinoic acid as a complex with retinol binding protein, 561
- Retinol binding protein, intravascular injection of retinoic acid as a complex with (transport and utilization of retinoic acid by the retina), 561
- Rhodopsin and porphyropsin, axolotl and tiger salamander, the absorbance spectra of. (Studies on the effects of bleaching amphibian rod pigments in situ. I.), 329  
 —, bovine, characteristics of galactosyl and fucosyl transfer to, 199  
 — content and rod outer segment length in albino rat eyes: modification by dark adaptation, 487
- Rod dysplasia (Retinal degenerations in the dog. I.), 233  
 — pigments, amphibian, studies on the effects of bleaching in situ. I. The absorbance spectra of axolotl and tiger salamander rhodopsin and porphyropsin, 329  
 ————— II. The kinetics of the slow bleaching reactions in axolotl red rods, 337  
 — outer segment length, and rhodopsin content, in albino rat eyes: modification by dark adaptation, 487
- ROSS, K. (see GAASTERLAND, D.), 651
- ROY, D. and SPECTOR, A., Human insoluble lens protein. I. Separation and partial characterization of polypeptides, 429  
 —, —, ————— II. Isolation and characterization of a 9600 dalton polypeptide, 445
- SAGUN, D. (see OZANICS, V.), 25
- Salamander, axolotl and tiger, rhodopsin and porphyropsin, the absorbance spectra of. (Studies on the effects of bleaching amphibian rod pigments in situ. I.), 329
- SALVADOR, E. V. (see BITO, L. Z.), 47
- SCHMIDT, S. Y., Taurine fluxes in isolated cat and rat retinas: effects of illumination, 529
- SCHUSTER, L. (see SLAKOTOS, A. N.), 13
- Senile cataracts, and rabbit lens and levels in human lenses and, lysophosphatidyl ethanolamine effects on, 729  
 —, normal and cataractous human, lenses as a function of internal calcium, the distribution of soluble, insoluble and high molecular weight fractions of, 223

- Separation and partial characterization of polypeptides. I. (Human insoluble lens protein), 429
- Sharks, lens colour in, 227
- Shunt response, hexose-monophosphate, to diamide in the component layers of the cornea, 611
- SIKOTOS, A. N., AGUIRRE, G. and SCHUSTER, L., Two methods for the rapid purification of the retinal pigment epithelium: adsorption and filtration, 13
- Sialocompounds, catabolism of, by endogenous neuraminidase in the chick retina, developmental studies of, 621
- SLINGSBY, C. and CROFT, L. R., Structural studies on calf lens  $\gamma$ -crystallin fraction IV: A comparison of the cysteine-containing tryptic peptides with the corresponding amino acid sequence of  $\gamma$ -crystallin fraction II, 291
- Slow bleaching reactions, the kinetics of, in axolotl red rods. (Studies on the effects of bleaching amphibian rod pigments in situ. II.), 337
- Sodium-potassium fluxes, an analysis of the dependence of the components of the potential on, based on the pump-leak model. (Studies on the crystalline lens. XXV.), 157
- , insoluble and high molecular weight fractions of senile normal and cataractous human lenses as a function of internal calcium, 223
- proteins, chick lens, characterization of, and the control of their synthesis, 351
- utilization and transport as revealed by studies on aphakic eyes, intraocular sites of. (Intraocular fluid dynamics. IV.), 47
- SPECTOR, A. (see ANDERSON, E. I.), 407
- , — (see GARCIA-CASTINEIRAS, S.), 461
- , — (see LI, L.-K.), 419
- , — (see ROY, D.), 429, 445
- Specular microscopy, some effects of hydrostatic pressure on corneal hydration during, 141
- Spontaneous cataract in nude athymic mice: ultrastructural analysis, 207
- STERNBERG, P., COTLIER, E. and OBARA, Y., Lysophosphatidyl ethanolamine effects on rabbit lens and levels in human lenses and senile cataracts, 729
- Sulfhydryl groups, effects of modification of the, of calf lens low molecular weight  $\alpha$ -crystallin, 419
- , —, the state of, in normal and cataractous human lens proteins. I. Nuclear region, 407
- Synthesis, control of their, and the characterization of chick lens soluble proteins, 351
- TAKAHASHI, J. (see TAMAI, M.), 581
- TAKAKU, Y. (see HAYASAKA, S.), 57
- TAKÁTS, A., ANTONI, F., FARAGÓ, A. and KERTÉSZ, P., Some properties of the cyclic AMP dependent protein kinase of epithelial cells and cortical fibers of bovine eye lens, 389
- TAKENAWA, T. (see WADA, E.), 119
- TAMAI, M., TAKAHASHI, J., NOJI, T. and MIZUNO, K., Development of photoreceptor cells in vitro: influence and phagocytic activity of homo- and heterogenic pigment epithelium, 581
- Taurine fluxes in isolated cat and rat retinas: effects of illumination, 529
- $\Delta^9$ -Tetrahydrocannabinol, effects of on ocular blood flow and aqueous humor formation, 65
- Therapy, benzopyrone, in an experimental model, the enhancement of hyphema resolution following, 725
- THOMSON, I., WILKINSON, C. E., BURNS, A. T. H., TRUMAN, D. E. S. and CLAYTON, R. M., Characterization of chick lens soluble proteins and the control of their synthesis, 351
- Tiger, and axolotl salamander, rhodopsin and porphyropsin, the absorbance spectra of. (Studies on the effects of bleaching amphibian rod pigments in situ. I.), 329
- Tissues, human fetal eye, in vitro, a demonstration of a switch of cell type in: pigmented cells of the iris or the retina can transdifferentiate into lens, 591
- of the eye, lipids in. XVI. Uptake of lipids by the rabbit lens in vitro, 567
- Toxic effects of copper on cultured rat lenses, 547
- Transport, and solute utilization, as revealed by studies on aphakic eyes, intraocular sites of. (Intraocular fluid dynamics. IV.), 47
- , — utilization of retinoic acid by the retina: intravascular injection of retinoic acid as a complex with retinol binding protein, 561
- systems, rat lens, phospholipid effects on the, 657
- TRUMAN, D. E. S. (see THOMSON, I.), 351



- Tryptic peptides, cysteine-containing, a comparison of the, with the corresponding amino acid sequence of  $\gamma$ -crystallin fraction II. (Structural studies on calf lens  $\gamma$ -crystallin fraction IV.), 291
- Tryptophan residues in human and bovine lens proteins, fluorescence spectra of, 705
- TSACPOPOULOS, M. (see POURNARAS, C.), 687
- TSUKAHARA, S. and MAEZAWA, N., Cytochemical localization of adenyl cyclase in the rabbit ciliary body, 99
- TSUMITA, T. (see WADA, E.), 119
- TSUNEMATSU, Y., FUKUI, H. N. and KINOSHITA, J. H., Studies on primary cultures of adult lens cells from normal and hereditary cataractous mice, 671
- Ultrastructural analysis; Spontaneous cataract in nude athymic mice, 207  
— changes during the development and reversal of galactose cataracts, 123
- Ultrastructure of the developing choroid coat, observations on the, 25
- UNAKAR, N. J., GENYEA, C., REDDAN, J. R. and REDDY, V. N., Ultrastructural changes during the development and reversal of galactose cataracts, 123
- URBAN, P. F. (see PRETI, A.), 621
- Utilization, and transport, of retinoic acid by the retina: intravascular injection of retinoic acid as a complex with retinol binding protein, 561
- VAN ALPHEN, G. W. H. M., A correlation matrix of optical elements and age of the human eye, 573
- VERKLEIJ, A. J. (see BROEKHUYSE, R. M.), 147
- VERVERGAERT, P. H. J. Th. (see BROEKHUYSE, R. M.), 147
- Vitreous, macromolecular composition of the, in the aphakic owl monkey eye, 77
- WADA, E., MATSUZAWA, A., TAKENAWA, T. and TSUMITA, T., myo-Inositol content of the lens in hereditary cataract mice, 119
- WAGNER, B. J. and FU, S.-C. J., Characterization of lens proteins. II.  $\gamma$ -Crystallin of normal and cataractous rat lenses, 255
- Water soluble proteins, total, of the human lens, the molecular distribution, weight determination and concentration variation of, 377
- WHITE, H. A. (see ERNST, W.), 337
- WHITENER, C. M. (see COULTER, J. B. III.), 547
- WICKHAM, M. G. (see NASH, J. P.), 641
- WIEDERHOLT, M. and KOCH, M., Intracellular potentials of isolated rabbit and human corneal epithelium, 629
- WILKINSON, C. E. (see THOMSON, I.), 351
- WINKLER, B. S., A role for metabolism in photoreceptor electrogenesis, 107
- WYNN, H. (see GREEN, K.), 65
- X-ray-induced cataract, high molecular weight protein aggregates in, 507
- YAMASHINA, I. (see FUKUI, S.), 499
- YASUDA, K., OKADA, T. S., EGUCHI, G. and HAYASHI, M., A demonstration of a switch of cell type in human fetal eye tissues in vitro: pigmented cells of the iris or the retina can transdifferentiate into lens, 591
- YORIO, T. and BENTLEY, P. J., Phospholipase C-induced "Na-channels" in the crystalline lens, 165
- ZELENKA, P., Phospholipid composition and metabolism in the embryonic chick lens, 267
- ZIGLER, J. S. JR., Age-related changes in the polypeptide composition of  $\beta$ -crystallin from bovine lens, 537
- ZIGMAN, S. and GILBERT, P. W., Lens colour in sharks, 227

